

### **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of the claims in the application:

#### **Listing of Claims**

1. (currently amended) A blade server performance management method for use on a blade server including a cluster of server modules, each server module being capable of offering at least two different operating modes, for providing a performance management function on the clustered server modules in the blade server;

the blade server performance management method comprising:

performing a power-load detecting procedure to detect ~~the~~ a current distribution of power load by ~~the~~ a power supply of the blade server to the clustered server modules in the blade server;

if the current distribution of power load to the clustered server modules is below a rated power level, performing an operating mode inspecting procedure to inspect ~~the~~ current operating modes of the server modules to find ~~the~~ a highest-performance server module; and

performing a power-initiated operating mode adjusting procedure to switch the highest-performance server module to a lower level of operating mode.

2. (currently amended) The blade server performance management method of claim 1, further comprising:

performing a temperature inspecting procedure to inspect whether ~~the~~ a current working temperature of each of the server modules in the blade server is below an overheating limit;

if NO, performing a temperature-initiated operating mode adjusting procedure to switch ~~the~~ an overheated server module to a lower level of operating mode.

3. (original) The blade server performance management method of claim 2, wherein the temperature-initiated operating mode adjusting procedure is carried out by activating the overheated server module to perform a TCC procedure to lower its working temperature by reducing performance.

4. (original) The blade server performance management method of claim 1, wherein the operating modes of the clustered server modules include an automatic mode and an on-demand mode, wherein the on-demand mode is lower in performance than the automatic mode.

5. (original) The blade server performance management method of claim 1, wherein the operating modes of the clustered server modules include an automatic mode and a throttling mode, wherein the throttling mode is lower in performance than the automatic mode.

6. (currently amended) A blade server performance management system for use with a blade server including a cluster of server modules, each server module being capable of offering at least two different operating modes, for providing a performance management function on the clustered server modules in the blade server

the blade server performance management system comprising:

a power-load detecting module, which is capable of detecting whether ~~the~~ a current distribution of power load by ~~the~~ a power supply of the blade server to the clustered server modules in the blade server is below a rated power level, and if yes, capable of issuing a power-initiated mode down request;

an operating mode inspecting module, which is capable of inspecting what operating mode is currently being set to each of the clustered server modules in the blade server to find ~~the~~ a highest-performance one of the server modules; and

an operating mode adjusting module, which is capable of being activated in response to the power-initiated mode down request from the power-load detecting module and based on the inspected information from the operating mode inspecting module to switch the highest-performance server module to a lower level of operating mode.

7. (currently amended) The blade server performance management system of claim 6, further comprising:

a temperature inspecting module, which is capable of inspecting whether ~~the~~ a current working temperature of each of the clustered server modules in the blade server is below an overheating limit; and if NO, capable of initiating a temperature lowering procedure to lower the

working temperature of ~~the~~ an overheated server module by switching the overheated server module to a lower level of operating mode.

8. (original) The blade server performance management system of claim 7, wherein in the temperature lowering procedure, the temperature inspecting module issues a temperature initiated mode down request to the operating mode adjusting module to activate the operating mode adjusting module to adjust the overheated server module to a lower level of operating mode.

9. (original) The blade server performance management system of claim 7, wherein in the temperature lowering procedure, the temperature inspecting module issues a TCC enable message to the overheated server module to activate the overheated server module to perform a built-in TCC procedure to lower its working temperature by reducing performance.

10. (original) The blade server performance management system of claim 6, wherein the operating modes of the clustered server modules include an automatic mode and an on-demand mode, wherein the on-demand mode is lower in performance than the automatic mode.

11. (currently amended) The blade server performance management system of claim 6, wherein the operating modes of the clustered server modules include an automatic mode and a throttling mode, wherein the throttling mode is lower in performance than the automatic mode.  
[[.]]

12. (currently amended) A blade server performance management system for use with a blade server including a cluster of server modules, each server module being capable of offering at least two different operating modes, for providing a performance management function on the clustered server modules in the blade server;

the blade server performance management system comprising:

a power-load detecting module, which is capable of detecting whether ~~the~~ a current distribution of power load by ~~the~~ a power supply of the blade server to the clustered server

modules in the blade server is below a rated power level, and if yes, capable of issuing a power-initiated mode down request;

an operating mode inspecting module, which is capable of inspecting what operating mode is currently being set to each of the clustered server modules in the blade server to find ~~the~~ a highest-performance one of the server modules;

an operating mode adjusting module, which is capable of being activated in response to the power-initiated mode down request from the power-load detecting module and based on the inspected information from the operating mode inspecting module to switch the highest-performance server module to a lower level of operating mode; and

a temperature inspecting module, which is capable of inspecting whether ~~the~~ a current working temperature of each of the clustered server modules in the blade server is below an overheating limit; and if NO, capable of initiating a temperature lowering procedure to lower the working temperature of ~~the~~ an overheated server module by switching the overheated server module to a lower level of operating mode.

13. (original) The blade server performance management system of claim 12, wherein in the temperature lowering procedure, the temperature inspecting module issues a temperature initiated mode down request to the operating mode adjusting module to activate the operating mode adjusting module to adjust the overheated server module to a lower level of operating mode.

14. (original) The blade server performance management system of claim 12, wherein in the temperature lowering procedure, the temperature inspecting module issues a TCC enable message to the overheated server module to activate the overheated server module to perform a built-in TCC procedure to lower its working temperature by reducing performance.

15. (original) The blade server performance management system of claim 12, wherein the operating modes of the clustered server modules include an automatic mode and an on-demand mode, wherein the on-demand mode is lower in performance than the automatic mode.

16. (currently amended) The blade server performance management system of claim 12,

wherein the operating modes of the clustered server modules include an automatic mode and a throttling mode, wherein the throttling mode is lower in performance than the automatic mode.[]]